






































No.	HIMA Series	Pictures	Item No.	Dimension	LED Brand	LEDs	Packing (pcs per carton)	Description
1	DM01-H Single Row REAL 4D Optics		DM01-18H	6.5 inch	Philips	6pcs	8	Operating Voltage:DC10-30V Waterproof:IP67 Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Alu firm bracket Main Structure figure: 1,Hima's exclusive developed REAL 4D Optics, 2, The combination of convex optics and reflector cups provides a further projecting distance 3, Super spot in the center,meanwhile,wide flood beam on each side,expand driver's vision and better driving experenice 4,Every single LED light will come with matchable connector and harness
			DM01-30H	11.5 inch	Philips	10pcs	8	
			DM01-60H	21.5 inch	Philips	20pcs	6	
			DM01-90H	31.5 inch	Philips	30pcs	4	
			DM01-120H	41.5 inch	Philips	40pcs	4	
			DM01-150H	51.5 inch	Philips	50pcs	4	
2	DM02-H Double Row REAL 4D Optics		DM02-36H	6.5inch	Philips	12pcs	6	Operating Voltage:DC10-30V Waterproof:IP67 Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Alu firm bracket Lens material:unbreakable PC Main Structure figure: 1,Hima's exclusive developed REAL 4D Optics, 2, The combination of convex optics and reflector cups provides a further projecting distance 3, Super spot in the center,meanwhile,wide flood beam on each side,expand driver's vision and better driving experenice 4,Every single LED light will come with matchable connector and harness
			DM02-72H	12.5inch	Philips	24pcs	6	
			DM02-120H	21.5inch	Philips	40pcs	6	
			DM02-180H	31.5inch	Philips	60pcs	4	
			DM02-240H	41.5inch	Philips	80pcs	4	
			DM02-288H	50inch	Philips	96pcs	4	
			DM02-300H	52inch	Philips	100pcs	4	
3	CDM02-H Cruved DM02 REAL 4D Optics		CDM02-36H	6.5inch	Philips	12pcs	6	Operating Voltage:DC10-30V Waterproof:IP67 Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Alu firm bracket Lens material:unbreakable PC Main Structure figure: 1,Hima's exclusive developed REAL 4D Optics, 2, The combination of convex optics and reflector cups provides a further projecting distance 3, Super spot in the center,meanwhile,wide flood beam on each side,expand driver's vision and better driving experenice 4,Every single LED light will come with matchable connector and harness
			CDM02-72H	12.5inch	Philips	24pcs	6	
			CDM02-120H	21.5inch	Philips	40pcs	6	
			CDM02-180H	31.5inch	Philips	60pcs	4	
			CDM02-240H	41.5inch	Philips	80pcs	4	
			CDM02-288H	50inch	Philips	96pcs	4	
			CDM02-300H	52inch	Philips	100pcs	4	
4	DM04-H Dual Row Real 4D optics		DM04-18H	4.5 inch	Philips	6pcs	8	Operating Voltage:DC10-30V Waterproof:IP67 Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Alu firm bracket Lens material:unbreakable PC Main Structure figure: 1,Hima's exclusive developed REAL 4D Optics, 2, The combination of convex optics and reflector cups provides a further projecting distance 3, Super spot in the center,meanwhile,wide flood beam on each side,expand driver's vision and better driving experenice 4,Every single LED light will come with matchable connector and harness
			DM04-36H	6.5inch	Philips	12pcs	8	
			DM04-54H	9inch	Philips	18pcs	4	
			DM04-72H	12inch	Philips	24pcs	4	
			DM04-90H	15inch	Philips	30pcs	4	
			DM04-108H	17inch	Philips	36pcs	4	
			DM04-126H	20inch	Philips	42pcs	4	
			DM04-144H	23inch	Philips	48pcs	4	
			DM04-198H	30inch	Philips	66pcs	4	
			DM04-234H	36inch	Philips	78pcs	4	
DM04-288H	44inch	Philips	96pcs	4				

5	UTM01 Single Row Real 4D optics	      	UTM01-42	6.5 inch	Philips	6pcs	8	Operating Voltage:DC10~30V Waterproof:IP69K Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Stainless Steel Lens material:PC Main Structure figure: 1.Hima's exclusive developed REAL 4D Optics, provides a further projecting distance 2.Real waterproof rate IP 69K 3.modular structure,each segment,lens,or optics can be easily replaced 4.Stable triangle stainless steel bracket 5. Exclusive housing design eliminate the highway wind noise
			UTM01-84	12.5 inch	Philips	12pcs	6	
			UTM01-126	18.5 inch	Philips	18pcs	6	
			UTM01-168	24.5 inch	Philips	24pcs	4	
			UTM01-210	30.5 inch	Philips	30pcs	4	
			UTM01-252	36.5 inch	Philips	36pcs	4	
			UTM01-294	42.5 inch	Philips	42pcs	4	
			UTM01-336	48.5 inch	Philips	48pcs	4	
6	UTM02 Dual Row Real 4D optics	       	UTM02-84	6.5 inch	Philips	12pcs	6	Operating Voltage:DC10~30V Waterproof:IP69K Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Stainless Steel Lens material:PC Main Structure figure: 1.Convex optics,raise illumination LUX greatly 2.Real waterproof rate IP 69K 3.modular structure,each segment,lens,or optics can be easily replaced 4. Exclusive housing design eliminate the highway wind noise 5.Stable triangle stainless steel bracket
			UTM02-168	12.5 inch	Philips	24pcs	6	
			UTM02-252	18.5 inch	Philips	36pcs	6	
			UTM02-336	24.5 inch	Philips	48pcs	4	
			UTM02-420	30.5 inch	Philips	60pcs	4	
			UTM02-504	36.5 inch	Philips	72pcs	4	
			UTM02-588	42.5 inch	Philips	84pcs	4	
			UTM02-672	48.5 inch	Philips	96pcs	4	
5	TM01 Single Row Convex optics	       	TM01-42	6.5 inch	Philips	6pcs	8	Operating Voltage:DC10~30V Waterproof:IP69K Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Stainless Steel Lens material:PC Main Structure figure: 1.Convex optics,raise illumination LUX greatly 2.Real waterproof rate IP 69K 3.modular structure,each segment,lens,or optics can be easily replaced 4. Exclusive housing design eliminate the highway wind noise 5.Stable triangle stainless steel bracket
			TM01-84	12.5 inch	Philips	12pcs	6	
			TM01-126	18.5 inch	Philips	18pcs	6	
			TM01-168	24.5 inch	Philips	24pcs	4	
			TM01-210	30.5 inch	Philips	30pcs	4	
			TM01-252	36.5 inch	Philips	36pcs	4	
			TM01-294	42.5 inch	Philips	42pcs	4	
			TM01-336	48.5 inch	Philips	48pcs	4	
6	TM02 Dual Row Convex optics	       	TM02-84	6.5 inch	Philips	12pcs	6	Operating Voltage:DC10~30V Waterproof:IP69K Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Stainless Steel Lens material:PC Main Structure figure: 1.Convex optics,raise illumination LUX greatly 2.Real waterproof rate IP 69K 3.modular structure,each segment,lens,or optics can be easily replaced 4. Exclusive housing design eliminate the highway wind noise 5.Stable triangle stainless steel bracket
			TM02-168	12.5 inch	Philips	24pcs	6	
			TM02-252	18.5 inch	Philips	36pcs	6	
			TM02-336	24.5 inch	Philips	48pcs	4	
			TM02-420	30.5 inch	Philips	60pcs	4	
			TM02-504	36.5 inch	Philips	72pcs	4	
			TM02-588	42.5 inch	Philips	84pcs	4	
			TM02-672	48.5 inch	Philips	96pcs	4	

9	BK03 Dual Row Convex optics		BK03-60	6.5 inch	Osram	12pcs	6	Operating Voltage:DC10~30V LED Chips:3W Osram Waterproof:IP67 Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Stainless Steel Lens material:PC Main Structure feature: 1,presure equalization vent,keep waterproof and air balance 2,The most stable triangle design 3,New convex optics raise the illumination LUX greatly
			BK03-120	12.5 inch	Osram	24pcs	6	
			BK03-200	21.5 inch	Osram	40pcs	6	
			BK03-300	31.5 inch	Osram	60pcs	4	
			BK03-400	41.5 inch	Osram	80pcs	4	
			BK03-480	50.0 inch	Osram	96pcs	4	
			BK03-500	52.0 inch	Osram	100pcs	4	
10	CBK03 Curved BK03 Convex Optics		CBK03-60	6.5 inch	Osram	12pcs	6	Operating Voltage:DC10~30V Waterproof:IP67 Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Stainless Steel Lens material:unbrakable PC Main Structure feature: 1,presure equalization vent,keep waterproof and air balance 2,The most stable triangle design 3,New convex optics raise the illumination LUX greatly
			CBK03-120	12.5 inch	Osram	24pcs	6	
			CBK03-200	21.5 inch	Osram	40pcs	6	
			CBK03-300	31.5 inch	Osram	60pcs	4	
			CBK03-400	41.5 inch	Osram	80pcs	4	
			CBK03-480	50.0 inch	Osram	96pcs	4	
11	BK04 Dual Row Convex optics		BK04-30	4inch	Osram	6pcs	8	Operating Voltage:DC10~30V Waterproof:IP67 Color Temperature:6000K Lifespan:Above 50000 hours Material:Diecast aluminum housing Mounting Bracket:Stainless Steel Lens material:unbreakable PC Main Structure feature: 1,presure equalization vent,keep waterproof and air balance 2,New convex optics raise the illumination LUX greatly 3.Bottom slide brackct,meet different installation demand
			BK04-60	6.5inch	Osram	12pcs	8	
			BK04-90	9inch	Osram	18pcs	4	
			BK04-120	12inch	Osram	24pcs	4	
			BK04-150	15inch	Osram	30pcs	4	
			BK04-180	17inch	Osram	36pcs	4	
			BK04-210	20inch	Osram	42pcs	4	
			BK04-330	30inch	Osram	66pcs	4	
			BK04-390	36inch	Osram	78pcs	4	
BK04-480	44inch	Osram	96pcs	4				
12	BC14 Dual Row Super large reflector		BC14-36	7.5 inch	Cree	12pcs	6	Operating Voltage:DC10~30V Waterproof:IP67 Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Alu firm bracket Lens material:unbreak PC Main Structure feature: 1,presure equalization vent,keep waterproof and air balance 2.extra large reflectors,more brightly
			BC14-72	13.5 inch	Cree	24pcs	6	
			BC14-120	21.5 inch	Cree	40pcs	6	
			BC14-180	31.5 inch	Cree	60pcs	4	
			BC14-240	41.5 inch	Cree	80pcs	4	
			BC14-288	50.0 inch	Cree	96pcs	4	
			BC14-300	52.0 inch	Cree	100pcs	4	
13	CBC14 Curved BC14 Large reflector		CBC14-72	13.5 inch	Cree	24pcs	6	Operating Voltage:DC10~30V Waterproof:IP67 Color Temperature:6000K Lifespan:Above 50000 hours Optional Beam:Spot/Flood/Combo Material:Diecast aluminum housing Mounting Bracket:Alu firm bracket Lens material:unbreak PC Main Structure feature: 1,presure equalization vent,keep waterproof and air balance 3.extra large reflectors,more brightly
			CBC14-120	21.5 inch	Cree	40pcs	6	
			CBC14-180	31.5 inch	Cree	60pcs	4	
			CBC14-240	41.5 inch	Cree	80pcs	4	
			CBC14-288	50.0 inch	Cree	96pcs	4	
			CBC14-300	52.0 inch	Cree	100pcs	4	

1,Delivery time:Sample orders within 5-7 working days,normal oders in 7-15 working days.

2,Transportation:By Sea,Air,Fedex,DHL,UPS.

3,Term and packing: All of the products are EXW term,with standard box.

4,Payment:T/T,Paypal are accepted.

5,Declared Value: Normally we declare the full value for Custom. Email:info@hima.cc

